



# LEED 2009 for Commercial Interiors

## EA CREDIT 1.1: OPTIMIZE ENERGY PERFORMANCE LIGHTING POWER

Project # [REDACTED]

All fields and uploads are required unless otherwise noted.

### THRESHOLD ATTEMPTED

Points Attempted: 1 LPD Reduction: 15%

### ALL OPTIONS

*TIP: The requirements for EAc1.1 are contained within documentation for EAp2. Summary data has been linked here for convenience and clarity.*

Percentage of Lighting Power Reduction Achieved (%)

20.07

Note: Under EAp2, this must be 10% or greater to achieve compliance. Under EAc1.1, this must be 15% or greater to achieve 1 point, 20% or greater to achieve 2 points, 25% or greater to achieve 3 points, 30% or greater to achieve 4 points, and 35% or greater to achieve 5 points.

### ADDITIONAL DETAILS

- ☐ Special circumstances preclude documentation of credit compliance with the submittal requirements outlined in this form.
- ☐ The project team is using an alternative compliance approach in lieu of standard submittal paths.

### SUMMARY

EA Credit 1.1: Optimize Energy Performance - Lighting Power Points Documented:

2

EA Credit 1.1: Optimize Energy Performance - Lighting Power Exemplary Performance Documented:

N

- ☐ The project team reserves one point in the Innovation in Design credit category for exemplary performance in EAc1.1.