



LEED 2009 for Commercial Interiors

EA CREDIT 1.4: OPTIMIZE ENERGY PERFORMANCE EQUIPMENT AND APPLIANCES

Project # [REDACTED]

All fields and uploads are required unless otherwise noted.

THRESHOLD ATTEMPTED

Points Attempted: 1 ENERGY STAR: 70%

ALL OPTIONS

TIP: The requirements for EAc1.4 are contained within documentation for EAp2. Data has been linked here for convenience and clarity.

Percent ENERGYSTAR rated equipment (by rated power) (%)	100
---	-----

Note: Under EAp2, this must be 50% or greater to achieve compliance. Under EAc1.4, this must be 70% or greater to achieve 1 point, 77% or greater to achieve 2 points, 84% or greater to achieve 3 points, 90% or greater to achieve 4 points, and 97% or greater to achieve exemplary performance.

ADDITIONAL DETAILS

- ☐ Special circumstances preclude documentation of credit compliance with the submittal requirements outlined in this form.
- ☐ The project team is using an alternative compliance approach in lieu of standard submittal paths.

SUMMARY

EA Credit 1.4: Optimize Energy Performance - Equipment and Appliances Points Documented:	4
--	---

EA Credit 1.4: Optimize Energy Performance - Equipment and Appliances Exemplary Performance Documented:	Y
---	---

- ☒ The project team reserves one point in the Innovation in Design credit category for exemplary performance in EAc1.4.