3110/3120

Upright Vacuums

- Lightweight feel with heavy-duty performance
- Bottom-line savings from interchangeable parts
- One of the quietest in the industry at 69 dBa

3110 and 3120 Upright Vacuums

Premium design combined with unsurpassed performance.

With a handle-weight 12% lighter than the leading competitive upright vac, and a brush RPM nearly double the speed of the leading competitor's, your staff will vacuum faster and your carpets will be cleaner with the 3110/3120 upright vacuums.

EASIEST TO USE

From the ease with which the vacuums move, to the remarkably lower sound level, the 3110s and 3120s are designed with users in mind:

- Less strain on the operator's forearm and lower back from a handleweight 12% lighter than the leading commercial-grade vacuum.
- Easier to push and pull with a fully enclosed, EZ-Grip™ ergonomic handle.
- Noise-sensitive environments are no longer off limits with a very low 69 dBa.
- Operators carry the vacuum from a low-center-of-gravity accubalance front handle.



IDEAL ENVIRONMENTS:

Hospitality – Hotel rooms, casinos, banquet halls, and auditoriums.

Education – Elementary, secondary, colleges, and universities.

Healthcare – Hospitals, doctor's offices, and nursing homes.

Retail – Large boxes and department stores.



UNSURPASSED PERFORMANCE

In addition to how clean a carpet looks, vacuum performance must also be measured by how much more productive your staff can be:

- With dynamically-balanced brushes spinning nearly twice the speed of the leading competitive vac, carpets don't just look cleaner, they are cleaner—faster.
- Bayblend™ housing on the base—protects the motor from the abuse of daily use, keeping the vacs up and running.
- Three-ply filter bags with optional HEPA filter: for premium indoor air quality.





- A Reduce operator fatigue with adjustable, light-weight handle
- B Reach high surfaces easily with telescoping wand
- Reduce trip and falls with industrystandard safety-yellow cord
- D Ensure premium indoor air quality with 3-ply filter bag
- Easy operator access to on-board suite of tools: crevice tool for quick cleaning of corners, round upholstery dusting tool, and extra paper bag storage
- **F** Easy to lift and transport with accubalance handle
- **G** Ensure the highest air quality with optional HEPA filter
- H Protect motor from bumps with durablend polymer housing
- Achieve superior cleaning performance from dynamically-balanced high speed brush
- Ensure long-life performance with sealed bearings (vs. bushings)



INTEGRATED FAMILY DESIGN

The savings from switching to the new 3110/3120 series start at day one with our integrated family design and continue for the life of the machine:

- Interchangeable parts across motor types reduce stocking time, storage costs, and inventory space translating into immediate, bottom-line savings.
- Even better, all parts are put through extreme real-life, continuous-use testing to ensure repair downtimes are a minimum and savings are at a maximum for the life of the vac.

Discover the possibilities that come from superior engineering.





3110/3120 UPRIGHT VACUUMS

	III V/ICOOM			
SINGLE MOTOR	3110 (12-inch)) 31	10 (15-inch)	
Brush Drive System Dynamic balanced brush	4500 rpm		4500 rpm	
Vacuum System				
Motor airflow	92 cfm/42 liters/	sec. 92 c	fm/42 liters/sec.	
Motor waterlift	79 in/2000 mr		79 in/2000 mm	
Motor HP	1.14 hp		1.14 hp	
	p		p	
Debris Recovery/Filtration				
Vacuum bag capacity	1.2 gal/4.5 lite		1.2 gal/4.5 liter	
Air filtration	5 level (optional F	HEPA) 5 leve	5 level (optional HEPA)	
Recovery System				
Vacuum hose length	15 in/38 cm stretches to 63 in/160 cm			
Vacuum wand	Telescopic 21 in/53 cm to 35 in/89 cm			
	Telescopie 2		, 0, 0, 1, 1	
Power Cord				
Power cord length	49 ft/15 m		49 ft/15 m	
Dimensions/Weights				
Product height	44 in/112 mm		4 in/112 mm	
Product length	13 in/33 cm		13 in/33 cm	
Product width	12 in/30 mm		12 in/30 mm	
	•			
Product weight (without cord)	10.0 ID/7.3 Kg	16.6 lb/7.5 kg 17.1 lb/7.8 kg		
Decibel Rating				
Operator's position	69 dBa		69 dBa	
DUAL MOTOR	3120 (12-inch)	3120 (15-inch)	3120 (18-inch)	
Brush Drive System				
Dynamic balanced brush	4500 rpm	4500 rpm	4500 rpm	
•		•	·	
Vacuum System	02 (//2//	02 (//2//	02 (//2//	
Motor airflow	92 cfm/42 l/sec.	92 cfm/42 l/sec.	92 cfm/42 l/sec	
Motor waterlift	79 in/2000 mm	79 in/2000 mm	79 in/2000 mm	
Motor HP	1.07 hp	1.07 hp	1.07 hp	
Debris Recovery/Filtration				
Vacuum bag capacity	1.2 gal/4.5 liter	1.2 gal/4.5 liter	1.2 gal/4.5 liter	
Air filtration	5 level (optional HEPA)			
		V 1	•	
Recovery System	45 100		: /1.00	
Vacuum hose length	15 in/38 cm stretches to 63 in/160 cm			
Vacuum wand	Telescopic 21 in/53 cm to 35 in/89 cm			
Power Cord				
Power cord length	49 ft/15 m	49 ft/15 m	49 ft/15 m	
Dimensions/Weights				
Dimensions/Weights	44 in/112	44 in/112	44 in /112	
Product height	44 in/112 mm	44 in/112 mm	44 in/112 mm	
Product length	13 in/33 cm	13 in/33 cm	13 in/33 cm	
Product width	12 in/30 mm	12 in/30 mm	12 in/30 mm	
Product weight (without cord)	17.9 lb/8.1 kg	18.4 lb/8.3 kg	19.2 lb/8.7 kg	
Decibel Rating				
•		40 ID	CO dDa	
Operator's position	69 dBa	69 dBa	69 dBa	

Warranty

One-year warranty on non-wear materials and workmanship; three-year warranty on motors and belts exclusive of wear-induced concerns.

SEEING IS BELIEVING

See for yourself how the 3110/3120 upright vacuums can help you clean easier. For a demonstration or additional information, call 800.553.8033.

Tennant

701 North Lilac Drive
P.O. Box 1452
Minneapolis, MN 55440-1452
800.553.8033
d: 763.540.1200
In Quebec: 514.335.6061
f: 763.513.2112
tennantco.com
info@tennantco.com